BEARING FIXING ON THE TOP



Bearing w/locking “Lodge

Material > Plastic
Finishing > Aluminium - Brown

Art.	D	H	H1	i	i1	i2	M		
RT30	15	30	74	6	32	36	M6	500	7,5


H1
H
i2
i1
D
M
i

Bearing“Easy”

Material > Zinc Alloy
Finishing > Nickel Plated - Brass Plated

Art.	D	i	i1	i2	M	S		KG
RT50	15,3	32	10	21,3	M6	4	250	5,0


i1
M
i2
i
S
D

Bearing “Striped”

Material > Zinc Alloy
Finishing > Nickel Plated

Art.	D	i	i1	i2	M	S		
RT01S	15,3	32	10	11	M6	4,4	500	8,3


i1
S
M
i2
i
D

Bearing “Just”

Material > Plastic
Finishing > White - Brown

Art.	D	i	i1	i2	M	S		
RT02	15,3	32	20	19	M6	10	500	7,4


i1
S
M
i2
i
D

Bearing “Whip”

Material > Zinc Alloy
Finishing > Nickel Plated

Art.	D	H	H1	M	S		KG
RT27	15,3	25,5	63,5	M6	8	500	9,0
RT29	15,3	30,5	63,5	M6	8	500	9,5


M
H1
H
D
S