CONNECTING FITTING > HOUSING

NEW HOUSING Ø10



The new housing system can be screwed with 3mm allen key.

It also can be screwed with pozidriv 2. The pozidriv 2 allow the use of the screwdriver also in an inclined position, making it more easy to assemble.

A new generation housing Ø10

Material > Steel
Finishing > Zinc Plated - nero Zinc - Nickel Black

Art.	Ø	H	i	M			
BO75	10	14	9	M7	18	2500	8,4
BO66	10	17,5	12,5	M7	25	2500	11,4





Conic screw M7

Material > Steel
Finishing > Zinc Plated

Art.	H	M		
GR75	8,5	M7	10000	12,8
GR66	12	M7	5000	10,5


M
H

Dowel Ø7

Material > Steel
Finishing > Zinc Plated

Art.	Ø	F	i1	L	L1	M		
TF01	7	20	18,5	8,5	25	M6	2.000	14,6
TF02	7	21,5	20	8,5	26,5	M6	2.000	15,5
TF03	7	30	28,5	8,5	35	M6	1.000	10,4
TF04	7	31,5	30	8,5	36,5	M6	1.000	11,0
TF12	7	21,5	20	11	26,5	6 euro	2.000	16,5



Cover cap HOUSING 10

Material > Zinc Alloy
Finishing > Nickel Plated - Onyx Black

Art.	Ø	Øa	H	H1		KG
CF17	3,2	11	4	1,2	10.000	9,8





Available for the folllowing item
B004 + GR14, B005 + GR14, B025 + GR 23, B006 + GR 23, BO75 + GR75, BO66 + GR66